Index of Authors and Titles

Acklin, S. E. and van der Kooy, D. Clonal heterogeneity in the germinal zone of the developing rat telencephalon **118**, 175

Agata, K., Kobayashi, H., Itoh, Y., Mochii, M., Sawada, K. and Eguchi, G. Genetic characterization of the multipotent dedifferentiated state of pigmented epithelial cells in vitro **118**, 1025

Alarcon, F. J. *See* Jimenez, R.

Alberts, B. M. *See* Theurkauf, W. E.

Alexander, S. M. *See* McGuire, P. G.

Alpert, S. *See* Teitelman, G.

Amaya, E., Stein, P.A., Musci, T. J. and Kirschner, M. W. FGF signalling in the early specification of mesoderm in *Xenopus* **118**, 477

Ambrosio, L. *See* Melnick, M. B.

Andrew, D. J. *See* Zeng, W.

Ang, S.-L. and Rossant, J. Anterior mesendoderm induces mouse *Engrailed* genes in explant cultures **118**, 139

Ansell, J. D. *See* Samuel, K.

Avner, P. R. *See* Dandolo, L.

Bachvarova, R. F. *See* Duttlinger, R.

Baguna, J. *See* Garcia-Fernandez, J.

Baltz, J. M., Bigger, J. D. and Lechene, C. A novel H^+ permeability dominating intracellular pH in the early mouse embryo **118**, 1353

Barres, B. A., Schmid, R., Sendnter, M. and Raff, M. C. Multiple extracellular signals are required for long-term oligodendrocyte survival **118**, 283

Bastiani, M. J. *See* Karlstrom, R. O.

Bellen, H. J. *See* Littleton, J. T.

Bentley, D. *See* Chang, W. S.

Berleth, T. and Jurgens, G. The role of the *monopteros* gene in organising the basal body region of the *Arabidopsis* embryo **118**, 575

Besmer, P. *See* Duttlinger, R.

Bigger, J. D. *See* Baltz, J. M.

Birnbaum, D. *See* deLapeyriere, O.

Blumberg, H. *See* Kelley, C.

Bodmer, R. The gene *tinman* is required for specification of the heart and visceral muscles in *Drosophila* **118**, 719

Boedigheimer, M. and Laughon, A. *expanded*: a gene involved in the control of cell proliferation in imaginal discs **118**, 1291

Bopp, D., Horabin, J. I., Lersch, R. A., Cline, T. W. and Schedl, P. Expression of the *Sex-lethal* gene is controlled at multiple levels during *Drosophila* oogenesis **118**, 797

Bossing, T. *See* Udolph, G.

Brand, A. H. and Perrimon, N. Targeted gene expression as a means of altering cell fates and generating dominant phenotypes **118**, 401

Brandle, K. *See* Degen, N.

Bravo, R. *See* Carrasco, D.

Breitbart, R. E., Liang, C-S., Smoot, L. B., Laheru, D. A., Mahdavi, V. and Nadal-Ginard, B. A fourth human MEF2 transcription factor, hMEF2D, is an early marker of the myogenic lineage **118**, 1095

Breitman, M. L. *See* Yamaguchi, T. P.

Bringas, P. *See* Shum, L.

Brodland, G. W. *See* Clausi, D. A.

Bronner-Fraser, M. *See* Scherson, T.

Bronner-Fraser, M. *See* Sechrist, J.

Bronner-Fraser, M. *See* Collazo, A.

Buchman, V. I. and Davies, A. M. Different neurotrophins are expressed and act in a developmental sequence to promote the survival of embryonic sensory neurons **118**, 989

Buckley, S. *See* Shum, L.

Burdsal, C. A., Damsky, C. H. and Pedersen, R. A. The role of E-cadherin and integrins in mesoderm differentiation and migration at the mammalian primitive streak **118**, 829

Burgos, M. *See* Jimenez, R.

Burgoyne, P. S. *See* Thornhill, A. R.

Burne, J. F. *See* Coles, H. S. R.

Butz, S. *See* Schneider, S.

Camu, W. *See* Mettling, C.

Capecchi, M. R. *See* Carpenter, E.M.

Carpenter, E. M., Goddard, J. M., Chisaka, O., Manley, N. R. and Capecchi, M. R. Loss of *Hox-A1 (Hox-1.6)* function results in the reorganization of the murine hindbrain **118**, 1063

Carrasco, D., Ryseck, R-P. and Bravo, R. Expression of *rel*B transcripts during lymphoid organ development: specific expression in dendritic antigen-presenting cells **118**, 1221

Carroll, S. B. *See* Orenic, T. V.

Carter, W. J. *See* Hughes, S. M.

Chamberlain, C. G. *See* Schultz, M. W.

Chamberlin, H. M. and Sternberg, P. W. Multiple cell interactions are required for fate specification during male spicule development in *Caenorhabditis elegans* **118**, 297

Chambon, P. *See* Ruberte, E.

Chang, W. S., Zachow, K. R. and Bentley, D. Expression of epithelial alkaline phosphatase in segmentally iterated bands during grasshopper limb morphogenesis **118**, 651

Chapman, D. L. and Wolgemuth, D. J. Isolation of the murine cyclin B2 cDNA and characterization of the lineage and temporal specificity of expression of the B1 and B2 cyclins during oogenesis, spermatogenesis and early embryogenesis **118**, 229

Charite, J. *See* Vogels, R.

Chisaka, O. *See* Carpenter, E. M.

Chu, T. Y. *See* Duttlinger, R.

Clarke, A. R. *See* Samuel, K.

Clarke, J. D. W. and Lumsden, A. Segmental repetition of neuronal phenotype sets in the chick embryo hindbrain **118**, 151

Clausi, D. A. and Brodland, G. W. Mechanical evaluation of theories of neurulation using computer simulations **118**, 1013

Clevers, H. *See* Oosterwegel, M.

Climent, G. *See* Sherman, L.

Cline, T. W. *See* Bopp, D.

Coles, H. S. R., Burne, J. F. and Raff, M. C. Large-scale normal cell death in the developing rat kidney and its reduction by epidermal growth factor **118**, 777

Collazo, A., Bronner-Fraser, M. and Fraser, S. E. Vital dye labelling of *Xenopus laevis* trunk neural crest reveals multipotency and novel pathways of migration **118**, 363

Conlon, R. A. *See* Yamaguchi, T. P.

Copeland, N. G. *See* Tessarollo, L.

Coulier, F. *See* deLapeyriere, O.

Crews, S. T. *See* Kim, S. H.

Crohin, C. *See* Shum, L.

Damsky, C. H. *See* Burdsal, C. A.

Dandolo, L., Stewart, C. L., Mattei, M.-G. and Avner, P. R. Inactivation of an X-linked transgene in murine extraembryonic and adult tissues **118**, 641

Davidson, E. H. Later embryogenesis: regulatory circuitry in morphogenetic fields **118**, 665

Davies, A. M. *See* Buchman, V. I.

Davies, T. *See* Downs, K. M.

de Curtis, I. and Reichardt, L. F. Function and spatial distribution in developing chick retina of the laminin receptor $\alpha_6\beta_1$ and its isoforms **118**, 377

De Felici, M. *See* Pesce, M.
de Graaf, W. *See* Vogels, R.
de Iongh, R. U. *See* Schultz, M. W.
De Robertis, E. M. *See* Steinbeisser, H.
Degen, N., Brandle, K. and Peter, L. Histological studies on the development of retinotectal projections from nasoventral quarter-eyes in *Xenopus laevis* **118**, 589
deLapeyriere, O., Ollendorff, V., Planche, J., Ott, M. O., Pizette, S., Coulier, F. and Birnbaum, D. Expression of the *Fgf6* gene is restricted to developing skeletal muscle in the mouse embryo **118**, 601
Deschamps, J. *See* Vogels, R.
Destree, O. *See* Oosterwegel, M.
Diaz de la Guardia, R. *See* Jimenez, R.
Dolci, S. *See* Pesce, M.
Dominguez, M. *See* Martin-Bermudo, M. D.
Dono, R., Scalera, L., Pacifico, F., Acampora, D., Persico, M. G., Simeone, A. The murine *cripto* gene: expression during mesoderm induction and early heart morphogenesis **118**, 1157
Downs, K. M. and Davies, T. Staging of gastrulating mouse embryos by morphological landmarks in the dissecting microscope **118**, 1255
Dumont, D. J. *See* Yamaguchi, T. P.
Duttlinger, R., Manova, K., Chu, T. Y., Gyssler, C., Zelenetz, A. D., Bachvarova, R. F. and Besmer, P. *W-sash* affects positive and negative elements controlling c-*kit* expression: ectopic c-*kit* expression at sites of kit-ligand expression affects melanogenesis **118**, 705
Dzierzak, E. A. *See* Muller, A. M.
Early, A. *See* Harwood, A. J.
Early, A. E., Gaskell, M. J., Traynor, D. and Williamsm J. G. Two distinct populations of prestalk cells within the tip of the migratory *Dictyostelium* slug with differing fates at culmination **118**, 353
Edlund, T. *See* Korzh, V.
Eguchi, G. *See* Agata, K.
Eichele, G. *See* Thaller, C.
Ettensohn, C. A. Cell interactions and mesodermal cell fates in the sea urchin embryo **92**, 43
Evans, T. *See* Kelley, C.
Faerman, A. and Shani, M. The expression of the regulatory myosin light chain 2 gene during mouse embryogenesis **118**, 919
Fainsod, A. *See* Frumkin, A.
Fallon, J. F. *See* Riley, B. B.
Fan, G. and Katz, D. M. Non-neuronal cells inhibit catecholaminergic differentiation of primary sensory neurons: role of leukemia inhibitory factor **118**, 83
Farrace, M. G. *See* Pesce, M.
Fernandes, J. and VijayRaghavan, K. The development of indirect flight muscle innervation in *Drosophila melanogaster* **118**, 215
Filson, A. J., Louvi, A., Efstratiadis, A., Robertson, E. J. Rescue of the T-associated maternal effect in mice carrying null mutations in *Igf-2* and *Igf2r*, two reciprocally imprinted genes **118**, 731
Fogarty, P. *See* Sullivan, W.
Fraser, S. *See* Scherson, T.
Fraser, S. E. *See* Sechrist, J.
Fraser, S. E. *See* Collazo, A.
French, A. S. *See* Sanders, E. J.
Friederich, V. *See* Ruberte, E.
Frumkin, A., Haffner, R., Shapira, E., Tarcic, N., Gruenbaum, Y. and Fainsod, A. The chicken *CdxA* homeobox gene and axial positioning during gastrulation **118**, 553
Fujisue, M., Kobayakawa, Y. and Yamana, K. Occurrence of dorsal axis-inducing activity around the vegetal pole of an uncleaved *Xenopus* egg and displacement to the equatorial region by cortical rotation **118**, 163
Garcia-Alonso, L *See* Henchcliffe, C.
Garcia-Fernandez, J., Baguna, J. and Salo, E. Genomic organization and expression of the planarian homeobox genes *Dth-1* and *Dth-2* **118**, 241
Garesse, R. *See* Manzanares, M.
Gaskell, M. J. *See* Early, A. E.
Gilbert, D. J. *See* Tessarollo, L.
Goddard, J. M. *See* Carpenter, E. M.
Goldstein, B. Establishment of gut fate in the E lineage of *C. elegans*: the roles of lineage-dependent mechanisms and cell interactions **118**, 1267
Gong, X. *See* Miller, D. J.
Gonzalez, F. *See* Martin-Bermudo, M. D.
Goodman, C. S. *See* Gutjahr, T.
Goodman, C. S. *See* Henchcliffe, C.
Goodman, C. S. *See* Hiromi, Y.
Grainger, R. M. *See* Saha, M. S.
Granadino, B., Santamaria, P. and Sanchez, L. Sex determination in the germ line of *Drosophila melanogaster*: activation of the gene *Sex-lethal* **118**, 813
Grinblat, Y. *See* Zusman, S.
Griswold, C. M. *See* Mahaffey, J. W.
Gross, J. *See* Inouye, K.
Gruenbaum, Y. *See* Frumkin, A.
Gu, D. and Sarvetnick, N. Epithelial cell proliferation and islet neogenesis in IFN-g transgenic mice **118**, 33
Guild, G. M. *See* Karim, F. D.
Gulding, K. M. *See* Saha, M. S.
Gurley, C. M. *See* Hughes, S. M.
Guthrie, S., Prince, V. and Lumsden, A. Selective dispersal of avian rhombomere cells in orthotopic and heterotopic grafts **118**, 527
Gutjahr, T., Patel, N. H., Li, X., Goodman, C. S. and Noll, M. Analysis of the *gooseberry* locus in *Drosophila* embryos: *gooseberry* determines the cuticular pattern and activates *gooseberry neuro* **118**, 21
Gyssler, C. *See* Duttlinger, R.
Haffner, R. *See* Frumkin, A.
Hall, F. L. *See* Shum, L.
Hanahan, D. *See* Teitelman, G.
Harwood, A. J., Early, A. and Williams, J. G. A repressor controls the timing and spatial localisation of stalk cell-specific gene expression in *Dictyostelium* **118**, 1041
Hausen, P. *See* Schneider, S.
Hayashi, S., Hirose, S., Metcalfe, T. and Shirras, A. D. Control of imaginal cell development by the *escargot* gene of *Drosophila* **118**, 105
Held, L. I. *See* Orenic, T. V.
Henchcliffe, C., Garcia-Alonso, L., Tang, J. and Goodman, C. S. Genetic analysis of laminin A reveals diverse functions in morphogenesis in *Drosophila* **118**, 325
Henderson, C. E. *See* Mettling, C.
Herrenknecht, K. *See* Schneider, S.
Hickel, J. A. *See* Mahaffey, J. W.
Hiromi, Y., Mlodzik, M., West, S. R., Rubin, G. M. and Goodman, C. S. Ectopic expression of *seven-up* causes cell fate changes during ommatidial assembly **118**, 1123
Hirose, S. *See* Hayashi, S.
Hofmann, C. *See* Thaller, C.
Hogan, B. L. M. *See* Sasaki, H.
Hooper, M. L. *See* Samuel, K.
Horabin, J. I. *See* Bopp, D.
Horner, M. A. *See* Zeng, W.

Huet, F., Ruiz, C. and Richards, G. Puffs and PCR: the in vivo dynamics of early gene expression during ecdysone responses in *Drosophila* **118**, 613
Hughes, S. M., Taylor, J. M., Tapscott, S. J., Gurley, C. M., Carter, W. J. and Peterson, C. A. Selective acculumation of MyoD and Myogenin mRNAs in fast and slow adult skeletal muscle is controlled by innervation and hormones **118**, 1137
Hynes, R. O. *See* Yee, G. H.
Hynes, R. O. *See* Zusman, S.
Inouye, K. and Gross, J. In vitro stalk cell differentiation in wild-type and 'slugger' mutants of *Dictyostelium discoideum* **118**, 523
Ish-Horowicz, D. *See* Lardelli, M.
Itoh, Y. *See* Agata, K.
Jan, Y. N. *See* Theurkauf, W. E.
Janning, W. *See* Meise, M.
Jenkins, N. A. *See* Tessarollo, L.
Jimenez, F. *See* Martin-Bermudo, M. D.
Jimenez, R., Burgos, M., Sanchez, A., Sinclair, A. H., Alarcon, F. J., Marin, J. J., Ortega, E. and Diaz de la Guardia, R. Fertile females of the mole *Talpa occidentalis* are phenotypic interesexes with ovotestes **118**, 1303
Jones, D. F. *See* Mahaffey, J. W.
Jongens, T. A. *See* Theurkauf, W. E.
Jurgens, G. *See* Berleth, T.
Kafatos, F. C. *See* Zusman, S.
Karim, F. D., Guild, G. M. and Thummel, C. S. The *Drosophila Broad-Complex* plays a key role in controlling ecdysone-regulated gene expression at the onset of metamorphosis **118**, 977
Karlstrom, R. O., Wilder, L. P. and Bastiani, M. J. Lachesin: an immunoglobulin superfamily protein whose expression correlates with neurogenesis in grasshopper embryos **118**, 509
Katz, D. M. *See* Fan, G.
Kelley, C., Blumberg, H., Zon, L. I. and Evans, T. GATA-4 is a novel transcription factor expressed in endocardium of the developing heart **118**, 817
Kemler, R. *See* Schneider, S.
Kerr, K. *See* MacDonald, P. M.
Kessler, D. S. *See* Steinbeisser, H.
Kim, S. H. and Crews, S. T. Induction of *Drosophila* ventral epidermal development by the CNS midline cells and *spitz* class genes **118**, 893
Kirschenbaum, S. R. and O'Shea, M. Postembryonic proliferation of neuroendocrine cells expressing adipokinetic hormone peptides in the corpora cardiaca of the locust **118**, 1181
Kirschner, M. W. *See* Amaya, E.
Kobayakawa, Y. *See* Fujisue, M.
Kobayashi, H. *See* Agata, K.
Komeda, Y. *See* Tsukaya, H.
Korzh, V., Edlund, T. and Thor, S. Zebrafish primary neurons initiate expression of the LIM homeodomain protein Isl-1 at the end of gastrulation **118**, 417
Krause, H. M. *See* Manoukian, A. S.
Kruisbeek, A. *See* Oosterwegel, M.
Ku, M. *See* Steinbeisser, H.
Laheru, D. A. *See* Breitbart, R. E.
Lardelli, M. and Ish-Horowicz, D. *Drosophila hairy* pair-rule gene regulates embryonic patterning outside its apparent stripe domains **118**, 255
Laughon, A. *See* Boedigheimer, M.
Leach, D. *See* Whitington, P. M.
Leask, A. *See* MacDonald, P. M.
Lechene, C. *See* Baltz, J. M.
Lee, M. *See* Melnick, M. B.
Lersch, R. A. *See* Bopp, D.
Li, X. *See* Gutjahr, T.
Liang, C-S. *See* Breitbart, R. E.
Littleton, J. T., Bellen, H. J. and Perin, M. S. Expression of Synaptotagmin in *Drosophila* reveals transport and localization of synaptic vesicles to the synapse **118**, 1077
Logan, M. and Mohun, T. Induction of cardiac muscle differentiation in isoalted animal pole explants of *Xenopus laevis* embryos **118**, 865
Lumsden, A. *See* Clarke, J. D. W.
Lumsden, A. *See* Guthrie, S.
Luo, W. *See* Shum, L.
Lyons, G. E. *See* Patapoutian, A.
MacDonald, P. M., Kerr, K., Smith, J. L. and Leask, A. RNA regulatory element BLE1 directs the early steps of *bicoid* mRNA localization **118**, 1233
Mahaffey, J. W., Jones, D. F., Hickel, J. A. and Griswold, C. M. Identification and characterization of a gene activated by the deformed homeoprotein **118**, 203
Mahdavi, V. *See* Breitbart, R. E.
Manley, N. R. *See* Carpenter, E. M.
Manoukian, A. S. and Krause, H. M. Control of segmental asymmetry in Drosophila embryos **118**, 785
Manova, K. *See* Duttlinger, R.
Manzanares, M., Marco, R. and Garesse, R. Genomic organization and developmental pattern of expression of the *engrailed* gene from the brine shrimp *Artemia* **118**, 1209
Marco, R. *See* Manzanares, M.
Marin, J. J. *See* Jimenez, R.
Martin-Bermudo, M. D., Gonzalez, F., Dominguez, M., Rodriguez, I., Ruiz-Gomez, M., Romani, S., Modolell, J. and Jimenez, F. Molecular characterization of the *lethal of scute* genetic function **118**, 1003
Martin-Zanca, D. *See* Tessarollo, L.
Martinez, A. *See* Teitelman, G.
Mathies, L. D. *See* Zeng, W.
Mattei, M.-G. *See* Dandolo, L.
Mayo, M. *See* Shum, L.
McAvoy, J. W. *See* Schultz, M. W.
McGuire, P. G. and Alexander, S. M. Inhibition of urokinase synthesis and cell surface binding alters the motile behavior of embryonic endocardial-derived mesenchymal cells in vitro **118**, 931
Meier, T. *See* Zacharias, D.
Meijlink, F. *See* Oosterwegel, M.
Meise, M. and Janning, W. Cell lineage of larval and imaginal thoracic anlagen cells of *Drosophila melanogaster*, as revealed by single-cell transplantations **118**, 1107
Melnick, M. B., Perkins, L. A., Lee, M., Ambrosio, L. and Perrimon, N. Developmental and molecular characterization of mutations in the *Drosophila-raf* serine/threonine protein kinase **118**, 127
Melton, D. A. *See* Steinbeisser, H.
Metcalfe, T. *See* Hayashi, S.
Mettling, C., Camu, W. and Henderson, C. E. Embryonic wing and leg motoneurons have intrinsically different survival properties **118**, 1149
Michel, R. B. *See* Saha, M. S.
Millar, S. *See* Shum, L.
Miller, D. J., Gong, X. and Shur, B. D. Sperm require β-*N*-acetylglucosaminidase to penetrate through the egg zona pellucida **118**, 1279
Miller, R. H. *See* Noll, E.
Miner, J. H. *See* Patapoutian, A.
Mlodzik, M. *See* Hiromi, Y.
Mochii, M. *See* Agata, K.

Modolell, J. *See* Martin-Bermudo, M. D.
Mohun, T. *See* Logan, M.
Morrison, R. *See* Sherman, L.
Morriss-Kay, G. *See* Ruberte, E.
Mudhar, H. S., Pollock, R. A., Wang, C., Stiles, C. D. and Richardson, W. D. PDGF and its receptors in the developing rodent retina and optic nerve **118**, 539
Muller, A. M. and Dzierzak, E. A. ES cells have only a limited lymphopoietic potential after adoptive transfer into mouse recipients **118**, 1343
Musci, T. J. *See* Amaya, E.
Nadal-Ginard, B. *See* Breitbart, R. E.
Naito, S. *See* Tsukaya, H.
Nardelli-Haefliger, D. and Shankland, M. *Lox10*, a member of the *NK-2* homeobox gene class, is expressed in a segmental pattern in the endoderm and in the cephalic nervous system of the leech *Helobdella* **118**, 877
Nardi, J. B. Modulated expression of a surface protein on migrating germ cells of *Manduca sexta* embryos **118**, 967
Nishida, H. Localized regions of egg cytoplasm that promote expression of endoderm-specific alkaline phosphatase in embryos of the ascidian *Halocynthia roretzi* **118**, 1
Noll, E. and Miller, R. H. Oligodendrocyte precursors originate at the ventral ventricular zone dorsal to the ventral midline region in the embryonic rat spinal cord **118**, 563
Noll, M. *See* Gutjahr, T.
O'Shea, M. *See* Kirschenbaum, S. R.
Ollendorff, V. *See* deLapeyriere, O.
Olwin, B. B. *See* Riley, B. B.
Oosterwegel, M., van de Wetering, M., Timmerman, J., Kruisbeek, A., Destree, O., Meijlink, F. and Clevers, H. Differential expression of the HMG box factors *TCF-1* and *LEF-1* during murine embryogenesis **118**, 439
Orenic, T. V., Held, L. I., Paddock, S. W. and Carroll, S. B. The spatial organization of epidermal structures: *hairy* establishes the geometrical pattern of *Drosophila* leg bristles by delimiting the domains of *achaete* expression **118**, 9
Ortega, E. *See* Jimenez, R.
Ott, M. O. *See* deLapeyriere, O.
Paddock, S. W. *See* Orenic, T. V.
Parada, L. F. *See* Tessarollo, L.
Patapoutian, A., Miner, J. H., Lyons, G. E. and Wold, B. Isolated sequences from the linked *Myf-5* and *MRF4* genes drive distinct patterns of muscle-specific expression in transgenic mice **118**, 61
Patel, N. H. *See* Gutjahr, T.
Pedersen, R. A. *See* Burdsal, C. A.
Peifer, M., Orsulic, S., Sweeton, D., Wieschaus, E. A role for the *Drosophila* segment polarity gene *armadillo* in cell adhesion and cytoskeletal integrity during oogenesis **118**, 1191
Perin, M. S. *See* Littleton, J. T.
Perkins, L. A. *See* Melnick, M. B.
Perrimon, N. *See* Melnick, M. B.
Perrimon, N. *See* Brand, A. H.
Pesce, M., Farrace, M. G., Piacentini, M., Dolci, S. and De Felici, M. Stem cell factor and leukemia inhibitory factor promote primordial germ cell survival by suppressing programmed cell death (apoptosis) **118**, 1089
Peter, L. *See* Degen, N.
Peterson, C. A. *See* Hughes, S. M.
Phillips, R. G. and Whittle, J. R. S. *wingless* expression mediates determination of peripheral nervous system elements in late stages of *Drosophila* wing disc development **118**, 427
Piacentini, M. *See* Pesce, M.
Pizette, S. *See* deLapeyriere, O.
Planche, J. *See* deLapeyriere, O.
Polak, J. M. *See* Teitelman, G.
Pollock, R. A. *See* Mudhar, H. S.
Prince, V. *See* Guthrie, S.
Prokop, A. *See* Udolph, G.
Raff, M. C. *See* Coles, H. S. R.
Raff, M. C. *See* Barres, B. A.
Redei, G. P. *See* Tsukaya, H.
Reichardt, L. F. *See* de Curtis, I.
Reichert, H. *See* Zacharias, D.
Richards, G. *See* Huet, F.
Richardson, W. D. *See* Mudhar, H. S.
Riley, B. B., Savage, M. P., Simandl, B. K., Olwin, B. B. and Fallon, J. F. Retroviral expression of FGF-2 (bFGF) affects patterning in chick limb bud **118**, 95
Rodriguez, I. *See* Martin-Bermudo, M. D.
Romani, S. *See* Martin-Bermudo, M. D.
Rossant, J. *See* Yamaguchi, T. P.
Rossant, J. *See* Ang, S.-L.
Ruberte, E., Friederich, V., Chambon, P. and Morriss-Kay, G. Retinoic acid receptors and cellular retinoid binding proteins. III. Their differential transcript distribution during mouse nervous system development **118**, 267
Rubin, G. M. *See* Hiromi, Y.
Ruiz, C. *See* Huet, F.
Ruiz-Gomez, M. *See* Martin-Bermudo, M. D.
Ryseck, R-P. *See* Carrasco, D.
Saha, M. S., Michel, R. B., Gulding, K. M. and Grainger, R. M. A *Xenopus* homeobox gene defines dorsal-ventral domains in the developing brain **118**, 193
Sakakura, Y. *See* Shum, L.
Salo, E. *See* Garcia-Fernandez, J.
Samuel, K., Clarke, A. R., Ansell, J. D. and Hooper, M. L. Age-dependent selection against hypoxanthine phosphoribosyl transferase-deficient cells in mouse haematopoiesis **118**, 859
Sanchez, A. *See* Jimenez, R.
Sanchez, L. *See* Granadino, B.
Sandeman, R. *See* Whitington, P. M.
Sanders, E. J., Varedi, M. and French, A. S. Cell proliferation in the gastrulating chick embryo: a study using BrdU incorporation and PCNA localization **118**, 389
Santamaria, P. *See* Granadino, B.
Sarvetnick, N. *See* Gu, D.
Sasaki, H. and Hogan, B. L. M. Differential expression of multiple fork head related genes during gastrulation and axial pattern formation in the mouse embryo **118**, 47
Savage, M. P. *See* Riley, B. B.
Sawada, K. *See* Agata, K.
Schedl, P. *See* Bopp, D.
Scherson, T. *See* Sechrist, J.
Scherson, T., Serbedzija, G., Fraser, S. and Bronner-Fraser, M. Regulative capacity of the cranial neural tube to form neural crest **118**, 1049
Schmid, R. *See* Barres, B. A.
Schneider, S., Herrenknecht, K., Butz, S., Kemler, R. and Hausen, P. Catenins in *Xenopus* embryogenesis and their relation to the cadherin-mediated cell-cell adhesion system **118**, 629
Schultz, M. W., Chamberlain, C. G., de Iongh, R. U. and McAvoy, J. W. Acidic and basic FGF in ocular media and lens: implications for lens polarity and growth patterns **118**, 117
Scott, M. P. *See* Zeng, W.
Sechrist, J., Serbedzija, G. N., Scherson, T., Fraser, S. E. and Bronner-Fraser, M. Segmental migration of the hindbrain neural crest does not arise from its segmental generation **118**, 691
Sendnter, M. *See* Barres, B. A.

Serbedzija, G. *See* Scherson, T.
Serbedzija, G. N. *See* Sechrist, J.
Shani, M. *See* Faerman, A.
Shankland, M. *See* Nardelli-Haefliger, D.
Shapira, E. *See* Frumkin, A.
Sherman, L., Stocker, K. M., Morrison, R. and Climent, G. Basic Fibroblast Growth Factor (bFGF) acts intracellularly to cause the transdifferentiation of avian neural crest-derived Schwann cell precursors into melanocytes **118**, 1313
Shirras, A. D. *See* Hayashi, S.
Shum, L., Sakakura, Y., Bringas, P., Luo, W., Snead, M. L., Mayo, M., Crohin, C., Millar, S., Werb, Z., Buckley, S., Hall, F. L., Warburton, D. and Slavkin, H. EGF abrogation-induced *fusilli*-form dysmorphogenesis of Meckel's cartilage during embryonic mouse mandibular morphogenesis in vitro **118**, 903
Shur, B. D. *See* Miller, D. J.
Simandl, B. K. *See* Riley, B. B.
Sinclair, A. H. *See* Jimenez, R.
Slavkin, H. C. *See* Shum, L.
Smith, J. L. *See* MacDonald, P. M.
Smoot, L. B. *See* Breitbart, R. E.
Snead, M. L. *See* Shum, L.
Sokol, S. Y. Mesoderm formation in *Xenopus* ectodermal explants overexpressing Xwnt8: evidence for a cooperating signal reaching the animal pole by gastrulation **118**, 1335
Stein, P. A. *See* Amaya, E.
Steinbeisser, H., De Robertis, E. M., Ku, M., Kessler, D. S. and Melton, D. A. *Xenopus* axis formation: induction of *goosecoid* by injected *Xwnt-8* and activin mRNAs **118**, 499
Sternberg, P. W. *See* Chamberlin, H. M.
Stewart, C. L. *See* Dandolo, L.
Stiles, C. D. *See* Mudhar, H. S.
Stocker, K. M. *See* Sherman, L.
Sullivan, W., Fogarty, P. and Theurkauf, W. Mutations affecting the cytoskeletal organization of syncytial *Drosophila* embryos **118**, 1245
Tang, J. *See* Henchcliffe, C.
Tapscott, S. J. *See* Hughes, S. M.
Tarcic, N. *See* Frumkin, A.
Taylor, J. M. *See* Hughes, S. M.
Technau, G. M. *See* Udolph, G.
Teitelman, G., Alpert, S., Polak, J. M., Martinez, A. and Hanahan, D. Precursor cells of mouse endocrine pancreas coexpress insulin, glucagon and the neuronal proteins tyrosine hydroxylase and neuropeptide Y, but not pancreatic polypeptide **118**, 1031
Tessarollo, L., Tsoulfas, P., Martin-Zanca, D., Gilbert, D. J., Jenkins, N. A., Copeland, N. G. and Parada, L. F. *trk*C, a receptor for neurotrophin-3, is widely expressed in the developing nervous system and in non-neuronal tissues **118**, 463
Thaller, C., Hofmann, C. and Eichele, G. 9-*cis*-retinoic acid, a potent inducer of digit pattern duplications in the chick wing bud **118**, 957
Theurkauf, W. *See* Sullivan, W.
Theurkauf, W. E., Alberts, B. M., Jan, Y. N. and Jongens, T. A. A central role for microtubules in the differentiation of *Drosophila* oocytes **118**, 1169
Thor, S. *See* Korzh, V.
Thornhill, A. R. and Burgoyne, P. S. A paternally imprinted X chromosome retards the development of the early mouse embryo **118**, 171
Thummel, C. S. *See* Karim, F. D.
Timmerman, J. *See* Oosterwegel, M.
Traynor, D. *See* Early, A. E.
Tsoulfas, P. *See* Tessarollo, L.
Tsukaya, H., Naito, S., Redei, G. P. and Komeda, Y. A new class of mutations in *Arabidopsis thalina, acaulis1*, affecting the development of both inflorescences and leaves **118**, 751
Udolph, G., Prokop, A., Bossing, T. and Technau, G. M. A common precursor for glia and neurons in the embryonic CNX of *Drosophila* gives rise to segment-specific lineage variants **118**, 765
van de Wetering, M. *See* Oosterwegel, M.
van der Kooy, D. *See* Acklin, S. E.
van der Schoot, P. Foetal testes control the prenatal growth and differentiation of the gubernacular cones in rabbits - a tribute to the late Professor Alfred Jost **118**, 1327
Varedi, M. *See* Sanders, E. J.
VijayRaghavan, K. *See* Fernandes, J.
Vogels, R., Charite, J., de Graaf, W. and Deschamps, J. Proximal *cis*-acting elements cooperate to set *Hoxb-7* (*Hox-2.3*) expression boundaries in transgenic mice **118**, 71
Wang, C. *See* Mudhar, H. S.
Warburton, D. *See* Shum, L.
Werb, Z. *See* Shum, L.
West, S. R. *See* Hiromi, Y.
Whitington, P. M., Leach, D. and Sandeman, R. Evolutionary change in neural development within the arthropods: axonogenesis in the embryos of two crustaceans **118**, 449
Whittle, J. R. S. *See* Phillips, R. G.
Wilder, L. P. *See* Karlstrom, R. O.
Williams, J. G. *See* Harwood, A. J.
Williams, J. L. D. *See* Zacharias, D.
Williamsm J. G. *See* Early, A. E.
Wold, B. *See* Patapoutian, A.
Wolgemuth, D. J. *See* Chapman, D. L.
Yamaguchi, T. P., Dumont, D. J., Conlon, R. A., Breitman, M. L. and Rossant, J. *flk-1*,an *flt*-related receptor tyrosine kinase is an early marker for endothelial cell precursors **118**, 489
Yamana, K. *See* Fujisue, M.
Yee, G. *See* Zusman, S.
Yee, G. H. and Hynes, R. O. A novel, tissue-specific integrin subunit, B_V, expressed in the midgut of *Drosophila melanogaster* **118**, 845
Zacharias, D., Williams, J. L. D., Meier, T. and Reichert, H. Neurogenesis in the insect brain: cellular identification and molecular characterization of brain neuroblasts in the grasshopper embryo **118**, 941
Zachow, K. R. *See* Chang, W. S.
Zelenetz, A. D. *See* Duttlinger, R.
Zeng, W., Andrew, D. J., Mathies, L. D., Horner, M. A. and Scott, M. P. Ectopic expression and function of the *Antp* and *Scr* homeotic genes: the N terminus of the homeodomain is critical to functional specificity **118**, 339
Zon, L. I. *See* Kelley, C.
Zusman, S., Grinblat, Y., Yee, G., Kafatos, F. C. and Hynes, R. O. Analysis of PS integrin functions during *Drosophila* development **118**, 737

Subject Index

Ablation
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
***acaulis1* mutation**
influorescence developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
***n*-acetylglucosaminidase**
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
achaete
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
Acrosome
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Actin
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Activin
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Adipokinetic hormone
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Alkaline phosphatase
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Alternative splicing
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
cAMP
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
Angioblast
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
Angiogenesis
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
Antennapedia
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Anterior-like cell
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
Anterior-posterior axis
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Antisense
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Antp
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Apoptosis
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELCI **118**, 1089.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Aqueous
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Arabidopsis
basal body pattern in *Arabidopsis* embryo: BERLETH SND JURGENS **118**, 575.
influorescence developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
armadillo
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Artemia
engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
Arthropod evolution
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Ascidia
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Asymmetry
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Axial specification
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
Axis formation
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Axon growth
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Axon outgrowth
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Axon pathway
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
B1 element
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Basal body
basal body pattern in *Arabidopsis* embryo: BERLETH SND JURGENS **118**, 575.
Bicaudal-D
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
bicoid
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Birthdating
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Blastomere
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
BLE1
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.

Blood vessel
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Bolting process
influorescence developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
Brachial spinal cord
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
brachyury
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
Brain neuroblast
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
BrdU (See Bromodeoxyuridine)
Bromodeoxyuridine
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
c-*kit* receptor
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
c-*myc*
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Cadherin
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
Caenorhabditis
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
gut specification: GOLDSTEIN **118**, 1267.
Capsule
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Cardiac mesoderm
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
Cardiac muscle
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
Cardiovascular
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
Cartilage
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Castration
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Catenin
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Cell adhesion
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
novel integrin subunit: YEE AND HYNES **118**, 845.
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Cell cycle
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Cell death
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELCI **118**, 1089.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Cell differentiation
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
Cell fate
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
mesoderm development requires *tinman*: BODMER **118**, 719.
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
Cell fusion
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Cell interaction
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
Cell lineage
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Cell marking
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Cell migration
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.

Cell mixing
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
Cell proliferation
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Cell surface
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Cell type
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
Cell-cell adhesion
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
Cell-matrix interaction
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Central nervous system
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
Chick
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
Chick embryo
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
Chick gastrulation
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
Chick hindbrain
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Chick limb
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
Chick nervous system
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Chick retina
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
Chick wing
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Chimeric protein
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Chromosome
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
Ciliary-neurotrophic factor
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
***cis*-regulatory element**
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
Clonal analysis
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Clonal heterogeneity
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
CNS (See Central nervous system)
Commitment
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Computer simulation
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
Corpora cardiaca
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Cortex
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Cortical rotation
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
Coturnix
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
Craniocervical region
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
Crayfish
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Cremaster sac
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Crustacea
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Cuticular pattern
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
Cyclin B
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Cytoplasmic determinants
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Cytoplasmic transfer
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Cytoskeleton
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.

Decapoda
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Dedifferentiation
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Deformed
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
Dendritic antigen-presenting cell
*rel*B expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
Developmental potential
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Developmental profile
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Dictyostelium
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
DIF
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
DiI
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
DNA
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Dorsal axis determination
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
Dorsal-ventral patterning
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
Double enzymatic staining
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
D-raf
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
Drosophila
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
novel integrin subunit: YEE AND HYNES **118**, 845.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
***Drosophila* egg**
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
***Drosophila* eye**
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
***Drosophila* gene**
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
***Drosophila* imaginal disc**
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
***Drosophila* leg**
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
***Drosophila* muscle**
mesoderm development requires *tinman*: BODMER **118**, 719.
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
***Drosophila* nervous system**
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
***Drosophila* oocyte**
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
***Drosophila* oogenesis**
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Dth-1
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
Early gene
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Ecdysone
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
ecmA
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
ecmB
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
Ectoderm
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.

Egalitarain
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
EGF
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
EGF family
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
EGF receptor
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Embryogenesis
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
Embryonic stem cell
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
Endocardium
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
Endoderm
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Endoderm differentiation
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Endothelial cell
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
engrailed
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Engrailed
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Enhancer trap
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
Epidermal growth factor
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Epidermis
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
Epithelial morphogenesis
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Epithelial-mesenchymal interaction
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Epithelium
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
***escargot* gene**
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
even-skipped
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
expanded
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Explant culture
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Expression
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
migration of moth germ cells: NARDI **118**, 967.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Expression mutation
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Extracellular matrix
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
Extraembryonic endoderm
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
exuperantia
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Eye fragment
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Fasciclin I
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Fate determination
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Fertility
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Fertilization
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
FGF
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.

FGF receptor
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
FGF-2
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
Fgf6
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
Fgfr-4
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
Fibre interaction
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Fibre type
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Fibroblast growth factor
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
Finite element method
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
Flight
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Floor plate
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Flower-stalk
influorescence developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
Foetal castration
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Forebrain
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
Fork head domain
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Fruitfly
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Functional specificity
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Fusilli
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
GAL4
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
Galactosyltransferase
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Gastrulation
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
GATA-binding protein
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
Gene expression
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Gene networks
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Gene regulation
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
Germ line
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Germinal zone
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Glia
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
Glial cell
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Glial proliferation
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
Gooseberry neuro
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
gooseberry
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.

goosecoid
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
grapes
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Grasshopper
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Growth factor
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Gubernacular cone
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Gut
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
Haematopoiesis
HPRT$^-$ cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
hairy
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
Halocynthia
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Heart
mesoderm development requires *tinman*: BODMER **118**, 719.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Helix-loop-helix protein
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
Helobdella
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Hermaphroditism
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Hexosaminidase
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Hindbrain
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Histoblast
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
HMG box
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
Homeobox
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
mesoderm development requires *tinman*: BODMER **118**, 719.
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
Homeodomain
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Homeotic gene
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
***Hox* gene**
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
***Hox/LacZ* transgenic mouse**
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
HPRT
HPRT$^-$ cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
H$^+$
embryo H$^+$ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
Igf-2
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Imaginal disc
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
Immunoglobulin superfamily
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Immunohistochemistry
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Imprinting
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
In situ hybridization
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.

planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
In vivo
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Induction
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
Innervation
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Insect
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Insect embryo
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
migration of moth germ cells: NARDI **118**, 967.
Insect neurogenesis
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Insulin
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Insulin-like growth factor
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Insulin-like growth factor 2
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Integrin
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
novel integrin subunit: YEE AND HYNES **118**, 845.
Intercellular signaling
morphogenetic gene regulation: DAVIDSON **118**, 665.
Interferon-gamma
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Interleukin 6
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Intracrine
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
Islet regeneration
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Islet-1
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Isoform
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Isopoda
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Keilin's organ
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
Kidney development
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Kinase
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
lacZ
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Laminin
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
Laminin A
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
Leaf
influorescence developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
Leech
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
LEF-1
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
Leg bristle
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
Lens
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Lens development
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Lens fibre differentiation
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Lesch-Nyhan sydrome
HPRT$^-$ cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
lethal(l)myospheroid
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
lethal-of-scute
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
Leukemia inhibitory factor
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELCI **118**, 1089.
LIF
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.

LIM homeodomain
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Limb development
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Limb structure
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
Lineage
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Localization
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Locust
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Lox10
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
LRD
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Lumbar spinal cord
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Lymphoid organ
*rel*B expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
Lymphopoiesis
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
Mammal
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Manduca sexta
migration of moth germ cells: NARDI **118**, 967.
Maternal-effect lethal mutation
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Mechanics
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
Meckel's cartilage
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
MEF2
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Melanocyte
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
Melanogenesis
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Mesenchyme
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Mesoderm
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
mesoderm development requires *tinman*: BODMER **118**, 719.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
Mesoderm induction
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Metamorphosis
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Methylation
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
MHC
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
Microtubule
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
Midgut
novel integrin subunit: YEE AND HYNES **118**, 845.
Migration
migration of moth germ cells: NARDI **118**, 967.
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
MLC2
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
Modulated expression
migration of moth germ cells: NARDI **118**, 967.
***monopteros* gene**
basal body pattern in *Arabidopsis* embryo: BERLETH SND JURGENS **118**, 575.
Morphogenesis
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Morphogenetic field
morphogenetic gene regulation: DAVIDSON **118**, 665.
Morphological landmark
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
Motoneuron
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.

Mouse
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELCI **118**, 1089.
Mouse cell cycle
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Mouse chromosome
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
Mouse egg
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Mouse embryo
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Mouse gastrulation
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
Mouse gene
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
*rel*B expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
Mouse genetics
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Mouse haematopoiesis
$HPRT^-$ cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
Mouse mandible
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Mouse muscle
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Mouse nervous system
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
Mouse pancreas
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
Mouse stem cell
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
MRF4
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Multiple prestalk cell type
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
Multipositive progenitor
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
Muscle
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Muscle-specific gene regulation
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Myf-5
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
MyoD
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Myogenesis
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Myogenin
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Negative control element
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.

Nerve
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Nerve growth factor
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
Nervous system
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Neural crest
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Neural development
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
Neural induction
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Neuroblast
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Neuroendocrine
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Neurofilament protein
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
Neurogenesis
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
Neuromuscular junction
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Neuron
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Neuron morphology
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Neuronal differentiation
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Neuropeptide Y
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
Neurotrophin
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Neurulation
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
NGF
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
***NK-2* gene class**
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Node
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Notochord
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
NPY (See Neuropeptide Y)
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
NT-3
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
nuclear-fallout
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Nucleus
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
Oligodendrocyte
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
Ommatidial assembly
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
Oocyte
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
Oogenesis
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.

Optic nerve
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Optic tectum
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
Ovotestis
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Pair-rule gene
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Pancreas
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Pancreatic islet
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
Parasegment
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Paraxial mesoderm
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Parental imprinting
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Pattern formation
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
basal body pattern in *Arabidopsis* embryo: BERLETH SND JURGENS **118**, 575.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
morphogenetic gene regulation: DAVIDSON **118**, 665.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
PCNA
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
PDGF
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Peripheral nervous system
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
pH
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
Phorbol ester
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
PI-PLC
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Pigmented epithelial cell
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Pioneering neuron
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
PKA
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
Planarian
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
Platelet-derived growth factor
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Ploidy
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
Polarity
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Position-specific antigen
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
Positive control element
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Precursor cell
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
Preimplantation embryo
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
Prestalk
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
Primary neuron
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Primitive streak
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
Primordial germ cell
migration of moth germ cells: NARDI **118**, 967.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELCI **118**, 1089.
Programmed cell death
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Promoter analysis
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL AND TRAYNOR **118**, 353.
Protein kinase
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
Puffs
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.

Quail
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Rabbit
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
RARs
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
Rat
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Rat brain
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Rat embryo
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
Rat kidney
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Rat muscle
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Rat nervous system
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
Receptor
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Receptor tyrosine kinase
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
Redundancy
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
Regeneration
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Region-specific gene expression
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
Regulation
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
***rel*B expression**
*rel*B expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
Repopulation
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
Rescue
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
Respecification
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Retina
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
9-*cis*-retinoic acid
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Retinoic acid
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
Retinoid binding protein
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
Retinoid receptor
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Retinotectal
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Retinotopy
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Retroviral tagging
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Rhombomere
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
mRNA
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
localization in microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
RT-PCR
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
runt
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Schistocerca
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Schistocerca americana
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.

Schistocerca gregaria
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Schwann cell
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CLIMENT **118**, 1313.
Scr
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
scrambled
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Sea urchin
morphogenetic gene regulation: DAVIDSON **118**, 665.
Segment polarity gene
role of *armadillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Segmental repetition
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Segmental specificity
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
Segmentation
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
Segregation
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
Sensory ganglion
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
Sensory neuron
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
Sensory organ
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Serine/threonine protein kinase
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
seven-up
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
Sex combs reduced
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Sex determination
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Sex-lethal
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Sex reversal
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Sexual differentiation
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
SH3-binding site
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Signal transduction
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Single-cell transplantation
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
Skeletal muscle
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Slugger mutant
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
Specification
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
Sperm
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Spermatogenesis
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Spicule formation
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
Spinal cord
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
spitz
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
Splicing
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
SRY
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Staging
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
Stem cell factor
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELCI **118**, 1089.

Steriod hormone
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
Steroid receptor
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
Steroid regulation
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Striatum
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Stripe
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
Surface protein
migration of moth germ cells: NARDI **118**, 967.
Synapse
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Synaptic vesicle
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Synaptotagmin
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
T cell differentiation
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
T-maternal effect
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Talpa occidentalis
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Target gene
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
Targeted expression
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
TCF-1
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
Tectal marker
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Telencephalon
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
TERM-1
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Theory of neurulation
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
[^{3}H] Thymidine labeling
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Thyroid hormone
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
tinman
mesoderm development requires *tinman*: BODMER **118**, 719.
Transactivation
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
Transcription factor
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Transcriptional regulation
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
Transcriptional repression
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
Transdifferentiation
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Transgene
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
Transgenic mouse
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
Transmitter phenotype
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
Transplantation
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
Trigeminal system
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
trkC
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
True hermaphroditism
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Tumor suppressor
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Tyrosine hydroxylase
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
Tyrosine kinase
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA,

GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
Tyrphostin
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Urokinase
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Vegetal pole
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
Viscera
mesoderm development requires *tinman*: BODMER **118**, 719.
Visceral arch
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Visual system
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Vital dye labelling
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Vitreous
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
W-sash
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Wing
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
wingless
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Wing structure
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
Wnt
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Woodlouse
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
X chromosome imprinting
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
X-chromosome inactivation
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
Xenopus
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
morphogenetic gene regulation: DAVIDSON **118**, 665.
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
***Xenopus* brain**
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
***Xenopus* neural crest**
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
XO
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
Xwnt8
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
XX-XY difference
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
Zebrafish
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
ZFY
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Zona pellucida
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.